


RACKET



RACKET

The badminton racket is an important tool connecting the athlete with the shuttlecock. It is also the only equipment which comes in direct contact with the shuttlecock throughout the process. The material of the racket and every detail of its structure will affect the performance of the racket; in turn influencing the racket's swinging speed, agility and quality of the return shot. Focusing on different performance requirements, VICTOR has developed various rackets to satisfy the individual needs of different consumers.

Your VICTOR, Your RACKETS


2014 New Racket Response Indicator

In 2014, VICTOR will release the New Response indicator, integrating the major factors that affect the response to the racket, such as frame section, weight, balance point, stiffness and other features. Converting them into a simple indicator called "RESPONSE", combining user experience and requirement and providing consumers an easier way to select the racket that best suits their needs.

The RESPONSE indicator will be different based on the racket classification (SPEED, POWER, ALL-AROUND).



	Stiff Response	Flexible Response
Racket Structure	Rigid	Ductile
Features	Provide stiff feel and efficiently transfer the power to shuttlecock.	Provide smooth experience and contribute to less energy require to be used.
Players	Players who enjoy an aggressive game.	Players who enjoy effortless power.



VICTOR not only makes every effort in the area of product material R&D, technology and quality, it also attaches importance to the rights of the consumers. From 2011 all rackets have a specification laser code or specification sticker providing detailed racket specification information


Racket shaft number

Each VICTOR racket has its own personal shaft number, shown at the bottom of the shaft, which is the exclusive ID of each individual racket. The first Roman letters show the sales area (TW is Taiwan and CN is China). To avoid buying a product that is a parallel import or counterfeit, affecting your warranty rights, please check this number carefully.

Racket Laser Engraved Code

Laser code engraved on the racket

Old display method



A.Weight

"U" is the unit of weight. 2U stands for 90-94.9 grams, 3U stands for 85-89.9 grams, and 4U stands for 80-84.9 grams(all are unstrung weight).

B.Grip

VICTOR releases new grip indicator in 2013, provides consumers an easier way to select the racket that best suits their needs.

2013 New Indicator	Current Indicator	Grip Size
G6	G1	7.9cm
G5	G2	8.1cm
G4	G3	8.5cm

("G" is unit of grip perimeter.)

C.Tension

Tension, divided into lateral line H and vertical line V tension, is the safety factor of a racket frame, the maximum poundage that can be safety reached when a racket is strung. For example, H≤30lb V≤28lb means that, when a racket is strung, the highest lateral line tension is 30 lbs and the highest vertical line tension is 28 lbs.

D.Balance


The racket balance point is the distance from the front sleeve to the fulcrum, the higher the value the heavier the head is (HH), and the smaller the value the lighter the head (HL).

E.Stiffness

The stiffness of the shaft affects the feeling when you play badminton. When a soft racket (shaft) is used, the shuttlecock stays on the racket face for a longer time and is easier to control. Soft rackets are suited for use by beginners. When a stiff racket hits a shuttlecock, accuracy and efficiency of power delivery are better than with a soft racket; stiff rackets are best used only by advanced players.

F.Response

The Response Indicator is classified into 10 levels which shows on the racket's shaft. The dot closes left side with stiff response, while right side with flexible response.



Hologram sticker

All VICTOR products have a hologram sticker. To protect your interests as a consumer, please check this sticker to ensure you buy a genuine VICTOR product.




SPEED**JET SPEED S**

Equipped with innovative frame structure and technology, offer fast and smooth swing and incredible response with instant strength. This series offer the player with a great advantage over opponents during the game.

Zxion®


Compress high intensity which enhance resilience and stability.




Shock absorption and maximise precision.




Enhance elasticity and speed.

SHARK TEC

Reduce air resistance, which enable the player with a smoother shot.

NANO FORTIFY

Nano Fortify is composed by numerous tube-shaped carbon fiber. When applying this technology to the shaft, Nano Fortify can optimize high resilience. With bending strength to generate high repulsion, which enhance attacking power on every single hit.

**AERO-SWORD**

Innovative technology combining the two popular frame structure SWORD and AERODYNAMIC, the AERO-SWORD can efficiently reduce air resistance and allowing a faster and greater hitback.



"Precise" feature- through Zxion to improve shock absorption and Shark Tec to reduce the air resistance.

NEW

JETSPEED S 8 PS
JS-8PS



BALANCE	HH ○○○●○○ HL	
STIFFNESS	S ○●○○○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 27 lbs, V≤ 27 lbs H≤ 26 lbs, V≤ 26 lbs	
FRAME	Zxion+Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	



"Swift" feature- through Zxion to enhance elasticity and Shark Tec to reduce the air resistance.

NEW

JETSPEED S 8 ST
JS-8ST



BALANCE	HH ○○○●○○ HL	
STIFFNESS	S ○●○○○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 27 lbs, V≤ 27 lbs H≤ 26 lbs, V≤ 26 lbs	
FRAME	Zxion+Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	





NEW

JETSPEED S 001 JR

JS-001 JR

STIFFNESS	S ○ ○ ○ ○ ● F
LENGTH	620mm
WEIGHT / GRIP SIZE	5U/G6
STRING TENSION LBS	H ≤ 23 lbs, V ≤ 23 lbs
FRAME	Graphite+Resin
SHAFT	Graphite+Resin+7.0 SHAFT

AERO-SWORD

SEVEN SIX 76

CHAMPION SHUTTLECOCKS

CHAMPION YOUR GAME



CHAMPION NO.1



CHAMPION NO.3



CHAMPION NO.5



www.victorsport.com

BRAVE SWORD

The new BRAVE SWORD uses diamond-shaped design to cut wind as a sword, vastly reducing air resistance while encouraging nimble handling. The INNER WAVES technology provides more consistent face stability.



This diamond-shaped design cuts through the air like sword. It significantly reduces air resistance and provides a faster swing speed.



The INNER WAVES technology lengthened the string, with 5% extended sweet spot, significantly reduce shock, provides more maneuverability and face stability.

BRAVE SWORD



BRAVE SWORD 12 Light BRS-12L

Stiff Flexible

BALANCE	HH ○ ○ ● ○ ○ HL	
STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G6	4U/G6
STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs	H ≤ 28 lbs, V ≤ 26 lbs
FRAME	Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	



Signature racket for Lee Hyun Il, generates the instant responds and demonstrate his excellent skill.

BRAVE SWORD LHI



BRS-LHI		
BALANCE	HH ○○●○○ HL	
STIFFNESS	S ○●○○○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	
FRAME	Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	



Provides excellent hitback for ultimate speed.



BRAVE SWORD 12N



BRS-12N		
BALANCE	HH ○○●○○ HL	
STIFFNESS	S ○○●○○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	
FRAME	Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	



The SWORD frame section makes it the perfect racket for fast swinging.



BRAVE SWORD 11



BRS-11		
STIFFNESS	HH ○○●○○ HL	
LENGTH	S ○●○○○ F	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	
FRAME	Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	

BRAVE SWORD

SPEED



BRIDE
XTRER WAVES
HEAD TEE

Stiff  Flexible

BRAVE SWORD 150
BRS-150

BALANCE	HH ○ ○ ● ○ ○ HL	
STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 28 lbs, V≤ 26 lbs	H≤ 26 lbs, V≤ 24 lbs
FRAME	High Modulus Graphite+Nano Resin	
SHAFT	High Modulus Graphite+Nano Resin+7.0 SHAFT	

NEW

BRAVE SWORD 1500F
BRS-1500F

STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	



BRIDE



BRIDE

NEW

BRAVE SWORD 1500P
BRS-1500P

STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	



BRIDE

BRAVE SWORD 1600
BRS-1600

STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	

BRAVE SWORD

SPEED



BRAVE SWORD 1700
BRS-1700

STIFFNESS	S ○ ○ ○ ○ ● F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	



NEW
BRAVE SWORD 1133
BRS-1133

LENGTH	675mm
WEIGHT / GRIP SIZE	95-105g (Strung Weight) /G5
STRING TENSION LBS	H≤ 18 lbs, V≤ 18 lbs
FRAME	Aluminum
SHAFT	Steel+7.0 SHAFT



NEW
BRAVE SWORD 1233
BRS-1233

LENGTH	675mm
WEIGHT / GRIP SIZE	95-105g (Strung Weight) /G5
STRING TENSION LBS	H≤ 18 lbs, V≤ 18 lbs
FRAME	Aluminum
SHAFT	Steel+7.0 SHAFT



NEW
BRAVE SWORD 1533
BRS-1533

LENGTH	675mm
WEIGHT / GRIP SIZE	95-105g (Strung Weight) /G5
STRING TENSION LBS	H≤ 18 lbs, V≤ 18 lbs
FRAME	Aluminum
SHAFT	Steel+7.0 SHAFT

VICTOR STAR



Liliyana Natsir

Q : You and your partner, Tontowi Ahmad, are Number 1 ranked players in the world. Did you play mixed doubles in the first place?

A : I started to play badminton in 1995, and I was playing singles. I began to play doubles from 2001.

Q : Is there any badminton player that you particularly admire?

A : Well, there are many of them, like, Taufik Hidayat from my country, Indonesia; Kim Dong-Moon from South Korea, and Lin Dan from China.

Q : Which one do you prefer, singles or doubles? Why?

A : If I have to choose, I would go for singles, because I'm solely responsible for my winning or losing solely. When you're playing doubles, if the partner is not in his best condition, no matter how well you play, you may not win. And in terms of the reality, I can own the entire prize, no need to split money with my partner. But since I'm playing doubles now, I would not be worried about that anymore. Doing our best and winning is the most important thing now.

Q : Many doubles players may not be really close. Have you ever had a quarrel over the game with your partner?

A : Actually we've never had a quarrel. If there's something wrong between us, the coach would coordinate. And I try to play better whenever my teammate is not in his best condition. I do complain sometimes, but we always have effective communication. If I'm really frustrated by that, I would talk to my coach and let him handle this.

Q : You've been playing for so many years. Do you bring lucky item with you in the games?

A : No, I don't. I don't have any lucky item. But sometimes I watch opponent's video before the game, not every time though.

Q : You've been travelling among different countries to play, isn't that kind of travelling?

A : Going to play and going on vacation are totally different things. Playing is badminton my work. You have to be responsible for your work. So I have follow the schedule, and get well-rest. If I'm going on vacation, I can get up and go to bed any time I want. Those are two different feelings totally .

Q : What do you want to do when you're on vacation?

A : I want to go travelling, and the destination based on my mood. If you ask me now, I would say that I want to go to a country surrounded by sea.

Q : Are you religionist? Do you pray before the game?

A : I'm a Catholic. I do pray before the game. I pray to God that I wish I could do my best and win in the game.

Q : Have you ever felt tired and wanted to quit all these years?

A : Yes, I have. After the Olympics, I felt exhausted, and I really wanted to quit. But that feeling didn't last. I believe that people get tired and frustrat when they've been working for a long time. All it takes is a rest, like, hanging out with family or friend. Then you'll be uplifted and ready to start again.

Liliyana Natsir

Date of birth: 9/9/1985
Mixed doubles

2013 BWF World Championships	1st
2013 All England Open Badminton Championships	1st
2013 Singapore Open	1st
2013 Sunrise India Open	1st

THUNDER STRIKE THRUSTER K9000



Enhance Recovery 10%

NanoFortify is composed by numerous tube-shaped carbon fiber. When applying this technology to the shaft, NanoFortify can optimize high resilience. With bending strength to generate high repulsion, which enhance attacking power on every single hit.



The Nobel Prize honored material. Graphene is the strongest material in the 21st century. Allow players to launch incredible devastating attack with solid power.



Power boosted up to 9.75 %



www.victorsport.com




Graphene is composed of carbon atoms arranged densely in a hexagonal honeycomb crystal lattice , which has become one of the lightest and strongest materials in the 21st century. By only one gram of graphene can bear five tons of weight .
Combining with carbon fiber , it fortifies the racket frame and makes the racket get lighter and stronger , which causes a revolution in a way of racket performance.



CATAPULT STRUCTURE stores power and releases at smashing for maximum effect .

THRUSTER K

Attack is the best defense and is the foundation of victory. Combining a frame structure that releases smash power and graphene used frame, it provides solid experience and devastating power, making your smash more powerful.



Graphene and innovative energy storage technology-CATAPULT STRUCTURE boost smash power by 9.75%. Combining with Nano Fortify on the shaft, TK-9000 provides strongest attack.




NEW

THRUSTER K 9000 TK-9000



BALANCE	HH ●○○○○ HL	
STIFFNESS	S○○●○○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	
FRAME	Multi-Layer Graphene+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	



Through graphene and innovative energy storage technology
-CATAPULT STRUCTURE, TK-8000 boost smash power by 9.75%
and generate a powerful attack.

THRUSTER K 8000



TK-8000		
BALANCE	HH ○ ● ○ ○ ○ HL	
STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	
FRAME	Multi-Layer Graphene+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	
REMARK	Made in Taiwan	



The first female power racket from VICTOR, made with
graphene and CATAPULT STRUCTURE generates sharper smash..

THRUSTER K 7000L



TK-7000L	
BALANCE	HH ○ ● ○ ○ ○ HL
STIFFNESS	S ○ ○ ● ○ ○ F
LENGTH	675mm
WEIGHT / GRIP SIZE	4U/G6
STRING TENSION LBS	H≤ 28 lbs, V≤ 26 lbs
FRAME	Multi-Layer Graphene+Nano Resin
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT





Small Square Frame converts energy into full power.

NEW

THRUSTER K 7000S TK-7000S

BALANCE	HH ○ ● ○ ○ ○ HL
STIFFNESS	S ○ ● ○ ○ ○ F
LENGTH	675mm
WEIGHT / GRIP SIZE	3U/G4,5 4U/G5
STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
FRAME	Multi-Layer Graphene+Nano Resin
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT



THRUSTER K 6000 TK-6000

BALANCE	HH ● ○ ○ ○ ○ HL
STIFFNESS	S ○ ○ ● ○ ○ F
LENGTH	675mm
WEIGHT / GRIP SIZE	3U/G4,5 4U/G5
STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs
FRAME	Multi-Layer Graphene+Nano Resin
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT



THRUSTER K
POWER



POWER
EDGE
CATAPULT
STRUCTURE
NANO
TEE
HYBRID
COMPOSITE
SEVEN SIX 76

Stiff ——— Flexible

THRUSTER K 50
TK-50

BALANCE	HH ○ ● ○ ○ ○ HL
STIFFNESS	S ○ ○ ● ○ ○ F
LENGTH	675mm
WEIGHT / GRIP SIZE	3U/G4,5 4U/G5
STRING TENSION LBS	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs
FRAME	Hybrid Composite + Nano Resin
SHAFT	High Modulus Graphite+7.0 SHAFT



POWER
EDGE
CATAPULT
STRUCTURE
NANO
TEE
SEVEN SIX 76


Stiff ——— Flexible

NEW
THRUSTER K 20
TK-20

BALANCE	HH ● ○ ○ ○ ○ HL
STIFFNESS	S ○ ○ ● ○ ○ F
LENGTH	675mm
WEIGHT / GRIP SIZE	3U/G4,5 4U/G5
STRING TENSION LBS	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs
FRAME	High Modulus Graphite+Nano Resin
SHAFT	High Modulus Graphite+Nano Resin+7.0 SHAFT



Lee Yong Dae



NEW THRUSTER K 550

TK-550		
STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	



NEW THRUSTER K 600
TK-600

STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	



THRUSTER K 300
TK-300

STIFFNESS	S ○ ○ ○ ○ ● F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs	H≤ 24 lbs, V≤ 22 lbs
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.0 SHAFT	

METEOR X

ALL-AROUND



With 11% more control, creates greater handling at the point of shot.

OCTABLADE

PEAK WAVES

NANO RESIN

CARBON XT

HYBRID COMPOSITE

EIGHTY-80

METEOR X 90

MX-90

Stiff ○ ● ○ ○ ○ Flexible

BALANCE	HH ○ ● ○ ○ ○ HL	
STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs	H ≤ 28 lbs, V ≤ 26 lbs
FRAME	Hybrid Composite +Carbon XT+Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	
REMARK	Made in Taiwan	

OCTABLADE

The OCTABLADE cross-section design combines the shapes of a rhomboid and a hexagonal structure and provides better Racket face stability, reduces air resistance, and improves attacking power and control.



PEAK WAVES

The PEAK WAVES technology and the double interweaving combine to create a vertical string stability system with 7% less string tension loss compared to an ordinary racket. It provides greater face stability and not only increases the fit of the strings, but also reduces wear and tear for better racket durability.

METEOR X

Improved reinforced hitting power and racket frame stability. The new METEOR X series uses the OCTABLADE structure combined with CARBON XT reinforced woven carbon fiber technology to not only provide racket frame stability, but also improve effectiveness in reducing air resistance, attacking power, and added antitorque in the shaft. Strung with the EIGHTY-80 mode and the PEAK WAVES to provides greater frame stability and not only increases the fit of the strings, but also reduces wear and tear for better racket durability.



Innovative OCTABLADE frame section, increased stability by 22% offer precise execution.



NEW METEOR X 80N



MX-80N		
BALANCE	HH ○ ● ○ ○ ○ HL	
STIFFNESS	S ● ○ ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs	
FRAME	Carbon XT+Ultra High Modulus Graphite+Nano Resin	
SHAFT	Ultra High Modulus Graphite+Nano Resin+7.2 SHAFT	
REMARK	Made in Taiwan	



METEOR X 600
MX-600



BALANCE	HH ○ ● ○ ○ ○ HL	
STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs	
FRAME	High Modulus Graphite+Nano Resin	
SHAFT	High Modulus Graphite+Resin+7.2 SHAFT	



NEW METEOR X 360
MX-360



BALANCE	HH ○ ● ○ ○ ○ HL	
STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs	
FRAME	High Modulus Graphite+Nano Resin	
SHAFT	High Modulus Graphite+Nano Resin+7.2 SHAFT	



NEW

METEOR X 260
MX-260

Stiff ——— Flexible

BALANCE	HH ○ ○ ● ○ ○ HL	
STIFFNESS	S ○ ○ ● ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs	
FRAME	High Modulus Graphite+Nano Resin	
SHAFT	High Modulus Graphite+Nano Resin+7.2 SHAFT	



METEOR X 7000
MX-7000

STIFFNESS	S ○ ○ ○ ● ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4.5	4U/G5
STRING TENSION LBS	H ≤ 26 lbs, V ≤ 24 lbs H ≤ 24 lbs, V ≤ 22 lbs	
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.2 SHAFT	



METEOR X 6000
MX-6000

STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H ≤ 26 lbs, V ≤ 24 lbs H ≤ 24 lbs, V ≤ 22 lbs	
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.2 SHAFT	



NEW

METEOR X 5600
MX-5600

STIFFNESS	S ○ ● ○ ○ ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.2 SHAFT	

NEW

METEOR X 2600E
MX-2600E

STIFFNESS	S ○ ○ ○ ● ○ F	
LENGTH	675mm	
WEIGHT / GRIP SIZE	3U/G4,5	4U/G5
STRING TENSION LBS	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	
FRAME	Graphite+Resin	
SHAFT	Graphite+Resin+7.2 SHAFT	



NEW

METEOR X 8166
MX-8166

LENGTH	675mm
WEIGHT / GRIP SIZE	90-100g (Strung Weight) /G5
STRING TENSION LBS	H≤ 18 lbs
FRAME	Aluminum
SHAFT	Graphite+Resin



NEW

METEOR X 8266
MX-8266

LENGTH	675mm
WEIGHT / GRIP SIZE	90-100g (Strung Weight) /G5
STRING TENSION LBS	H≤ 18 lbs
FRAME	Aluminum
SHAFT	Graphite+Resin

WRIST ENHANCER



WRIST ENHANCER 120
WE-120

STIFFNESS	S●○○○○F
LENGTH	675mm
WEIGHT / GRIP SIZE	110-120g/G5
STRING TENSION LBS	H≤ 24lbs V≤ 22 lbs
FRAME	Graphite+Resin
SHAFT	Graphite+Resin




WRIST ENHANCER 140
WE-140

STIFFNESS	S●○○○○F
LENGTH	675mm
WEIGHT / GRIP SIZE	130-140g/G5
STRING TENSION LBS	H≤ 24lbs V≤ 22 lbs
FRAME	Graphite+Resin
SHAFT	Graphite+Resin

VICTOR 3 TYPES OF RACKET

VICTOR has released three ways to classify the racket. SPEED, POWER and ALL-AROUND. Together with the racket cross-coordinate map (HEAVY, LIGHT,BOUNCE and CONTROL), player can precisely select the racket that best suits their needs according to playing style, habits and requirements.

RACKETS MAPPING



Deliver lethal smashes to win.
Series of Represent:THRUSTER K



Precision, control the situation authoritatively.
Series of Represent: METEOR X



Speed is the first step to victory.
Series of Represent: JETSPEED S / BRAVE SWORD

RACKET TECHNOLOGY

AERO-SWORD



AERO-SWORD

Innovative technology combining the two popular frame structure SWORD and AERODYNAMIC, the AERO-SWORD can efficiently reduce air resistance and allowing a faster and greater hitback.



FRAME SECTION

SWORD



This diamond-shaped design cuts through the air like sword. It significantly reduces air resistance and provides a faster swing speed.

DIAMOND



By uniting box and triangular shape design, the diamond-like hexangular-shaped section provides more face stability and improves maneuverability and hitting power.

POWER BOX



The box-shaped design effectively increases the stability and anti-torque, can stand higher string tension.

OCTABLADE



The OCTABLADE cross-section design combines the shapes of a rhomboid and a hexagonal structure and provides better racket face stability, reduces air resistance, and improves attacking power and control.

AERODYNAMIC




The elliptically-shaped section can decrease the air resistance, provide higher anti-torque, maximize control and vastly increase the speed of returning hit.

SHARK TEC

Shark skin's sandpaper-like surface is added to the racket frame.

SHARK TEC is inspired by the skin of shark. Shark skin's sandpaper-like surface is added to the racket frame to reduce air resistance, which can enable the player with a smoother shot.




FRAME ENFORCEMENT

CATAPULT STRUCTURE



CATAPULT STRUCTURE stores power and releases at smashing for maximum effect.

INNER WAVES



The INNER WAVES technology lengthened the string, with 5% extended sweet spot, significantly reduce shock, provides more maneuverability and face stability.

PEAK WAVES



The PEAK WAVES technology and the double interweaving combine to create a vertical string stability system with 7% less string tension loss compared to an ordinary racket. It provides greater face stability and not only increases the fit of the strings, but also reduces wear and tear for better racket durability.

SHOCKLESS




Special shock absorbing materials are located on 3 and 9 o'clock; significantly reducing the shock of impact.

MATERIAL ENFORCEMENT



Nano Fortify is composed by numerous tube-shaped carbon fiber. This technology can optimize high resilience. With bending strength to generate high repulsion, which enhance attacking power on every single hit.




Zxion®

Liquid Crystalline Polyester fiber originated and created by Japan with interwoven braided layer, quickly absorbs vibration in order to enhance outstanding elasticity and stability during the game.



Graphene is composed of carbon atoms arranged densely in a hexagonal honeycomb crystal lattice, which has become one of the lightest and strongest materials in the 21st century. By only one gram of graphene can bear five tons of weight.

Combining with carbon fiber, it fortifies the racket frame and makes the racket get lighter and stronger, which causes a revolution in a way of racket performance.



Breakthrough of manufacturing process, combine two physically contradicted compounds and create a new material with advantages from both.



The reinforced woven carbon fiber technology uses the X shape interweaving to closely weave the layers of carbon fiber, forming a strong powerful network of tense carbon graphite. This adds torsion stability to the racket face and the shaft.



The NANO TEC technology works by evenly distributing nano-sized particles in the vacant space between carbon fiber bundles, this highly increases the overall stiffness of the carbon composite fibers, and reduces the distortion of the frame.

GROMMET SYSTEM



The unique 80-hole stringing pattern is a one-string-per-hole. This creates a perfect square network which allows an even distribution of the string and reduces friction between the horizontal and vertical strings which also reduces re-stringing time.



The single-pass grommet hole construction creates less friction between strings, this effectively reduces tension loss, while extending string life.

RACKETS SPEC CHART



	NEW	NEW	NEW						NEW	NEW			NEW	NEW	NEW
Name	JETSPEED S 8PS	JETSPEED S 8ST	JETSPEED S 001 JR	BRAVE SWORD LHI	BRAVE SWORD 11	BRAVE SWORD 12 LIGHT	BRAVE SWORD 12N	BRAVE SWORD 150	BRAVE SWORD 1500F	BRAVE SWORD 1500P	BRAVE SWORD 1600	BRAVE SWORD 1700	BRAVE SWORD 1133	BRAVE SWORD 1233	BRAVE SWORD 1533
Model	JS-8 PS	JS-8 ST	JS-001 JR	BRS-LHI	BRS-11	BRS-12L	BRS-12N	BRS-150	BRS-1500F	BRS-1500P	BRS-1600	BRS-1700	BRS-1133	BRS-1233	BRS-1533
Response Indicator			-						-	-	-	-	-	-	-
Balance	HH○○●○○HL	HH○○○●○HL	-	HH○○●○○HL	HH○○●○○HL	HH○○●○○HL	HH○○●○○HL	HH○○●○○HL	-	-	-	-	-	-	-
Stiffness	SO●○○○○F	SO●○○○○F	SO○○○●F	SO●○○○○F	SO●○○○○F	SO○●○○○F	SO○●○○○F	SO●○○○○F	SO○●○○○F	SO○●○○○F	SO●○○○○F	SO○○○●○F	-	-	-
Length	675mm	675mm	620mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm
Weight/Grip Size	3U/G4,5 4U/G5	3U/G4,5 4U/G5	5U/G6	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G6 4U/G6	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	95-105g(Strung Weight) /G5	95-105g(Strung Weight) /G5	95-105g(Strung Weight) /G5
String Tension LBS	H≤ 27 lbs, V≤ 27 lbs H≤ 26 lbs, V≤ 26 lbs	H≤ 27 lbs, V≤ 27 lbs H≤ 26 lbs, V≤ 26 lbs	H≤ 23 lbs, V≤ 23 lbs	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 28 lbs, V≤ 26 lbs H≤ 26 lbs, V≤ 24 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 18 lbs, V≤ 18 lbs	H≤ 18 lbs, V≤ 18 lbs	H≤ 18 lbs, V≤ 18 lbs
Frame	ZXION+Ultra High Modulus Graphite+Nano Resin	ZXION+Ultra High Modulus Graphite+Nano Resin	Graphite+Resin	Ultra High Modulus Graphite+Nano Resin	Ultra High Modulus Graphite+Nano Resin	Ultra High Modulus Graphite+Nano Resin	Ultra High Modulus Graphite+Nano Resin	High Modulus Graphite+Nano Resin	Graphite+Resin	Graphite+Resin	Graphite+Resin	Graphite+Resin	Aluminum	Aluminum	Aluminum
Shaft	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	High Modulus Graphite+Nano Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Steel+7.0 SHAFT	Steel+7.0 SHAFT	Steel+7.0 SHAFT
Technology															
AEROSWORD	●	●	●												
SWORD				●	●	●	●	●	●	●	●	●	●	●	●
SHARK TEC	●	●													
INNER WAVES				●	●	●	●	●							
SHOCKLESS				●	●	●	●								
ZXION	●	●													
NANO FORTIFY	●	●													
NANO TEC				●	●	●	●	●							
SEVEN-SIX76	●	●	●												

Weight		2013 New Indicator	Grip Size
2U	90-94.9 g	G6	7.9cm
3U	85-89.9 g	G5	8.1cm
4U	80-84.9 g	G4	8.5cm

Response & Balance Indicator only for High-End Products

RACKETS SPEC CHART



	NEW			NEW			NEW		NEW		NEW
Name	THRUSTER K 9000	THRUSTER K 8000	THRUSTER K 7000L	THRUSTER K 7000S	THRUSTER K 6000	THRUSTER K 50	THRUSTER K 20	THRUSTER K 600	THRUSTER K 550	THRUSTER K 300	
Model	TK-9000	TK-8000	TK-7000L	TK-7000S	TK-6000	TK-50	TK-20	TK-600	TK-550	TK-300	
Response Indicator								-	-	-	
Balance	HH●○○○○HL	HH●●○○○HL	HH●●○○○HL	HH●●○○○HL	HH●○○○○HL	HH●●○○○HL	HH●○○○○HL	-	-	-	
Stiffness	SO○●○○○F	SO○●○○○F	SO○●○○○F	SO●○○○○F	SO○●○○○F	SO○●○○○F	SO○●○○○F	SO○●○○○F	SO○●○○○F	SO○○○●●F	
Length	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	
Weight/Grip Size	3U/G4,5 4U/G5	3U/G4,5 4U/G5	4U/G6	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	
String Tension LBS	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs	H ≤ 28 lbs, V ≤ 26 lbs	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs	H ≤ 30 lbs, V ≤ 28 lbs H ≤ 28 lbs, V ≤ 26 lbs	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs	H ≤ 28 lbs, V ≤ 26 lbs H ≤ 26 lbs, V ≤ 24 lbs	H ≤ 26 lbs, V ≤ 24 lbs H ≤ 24 lbs, V ≤ 22 lbs	H ≤ 26 lbs, V ≤ 24 lbs H ≤ 24 lbs, V ≤ 22 lbs	H ≤ 26 lbs, V ≤ 24 lbs H ≤ 24 lbs, V ≤ 22 lbs	
Frame	Multi-Layer Graphene+Nano Resin	Multi-Layer Graphene+Nano Resin	Multi-Layer Graphene+Nano Resin	Multi-Layer Graphene+ Nano Resin	Multi-Layer Graphene+ Nano Resin	Hybrid Composite + Nano Resin	High Modulus Graphite+Nano Resin	Graphite+Resin	Graphite+Resin	Graphite+Resin	
Shaft	Ultra High Modulus Graphite+Nano Fortify+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.0 SHAFT	High Modulus Graphite+7.0 SHAFT	High Modulus Graphite+Nano Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	Graphite+Resin+7.0 SHAFT	
Remark	Made In TAIWAN	Made In TAIWAN									
Technology											
POWER BOX	●	●	●	●	●	●	●	●	●	●	
CATAPULT STRUCTURE	●	●	●	●	●	●	●	●	●	●	
SHOCKLESS				●							
NANO FORTIFY	●										
NANO TEC		●	●		●	●	●				
MULTI-LAYER GRAPHENE	●	●	●	●	●						
HYBRID COMPOSITE						●					
SEVEN-SIX76	●	●	●		●	●	●	●	●	●	

Weight		2013 New Indicator	Grip Size
2U	90-94.9 g	G6	7.9cm
3U	85-89.9 g	G5	8.1cm
4U	80-84.9 g	G4	8.5cm

Response & Balance Indicator only for High-End Products

RACKETS SPEC CHART




	NEW		NEW		NEW		NEW		NEW		NEW	
Name	METEOR X 90	METEOR X 80N	METEOR X 600	METEOR X 360	METEOR X 260	METEOR X 7000	METEOR X 6000	METEOR X 5600	METEOR X 2600E	METEOR X 8166	METEOR X 8266	
Model	MX-90	MX-80N	MX-600	MX-360	MX-260	MX-7000	MX-6000	MX-5600	MX-2600E	MX-8166	MX-8266	
Response Indicator	<div><div>Stiff</div><div><div></div><div></div><div></div><div></div><div></div></div><div>Flexible</div></div>	<div><div>Stiff</div><div><div></div><div></div><div></div><div></div><div></div></div><div>Flexible</div></div>	<div><div>Stiff</div><div><div></div><div></div><div></div><div></div><div></div></div><div>Flexible</div></div>	<div><div>Stiff</div><div><div></div><div></div><div></div><div></div><div></div></div><div>Flexible</div></div>	<div><div>Stiff</div><div><div></div><div></div><div></div><div></div><div></div></div><div>Flexible</div></div>	-	-	-	-	-	-	
Balance	HH●○○○○HL	HH●○○○○HL	HH●○○○○HL	HH●○○○○HL	HH○○●○○HL	-	-	-	-	-	-	
Stiffness	S●○○○○F	S●○○○○F	S○○●○○F	S●○○○○F	S○○●○○F	S○○○●○F	S●○○○○F	S●○○○○F	S○○○●○F	-	-	
Length	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	675mm	
Weight/Grip Size	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	3U/G4,5 4U/G5	90-100g(Strung Weight)/G5	90-100g(Strung Weight)/G5	
String Tension LBS	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 30 lbs, V≤ 28 lbs H≤ 28 lbs, V≤ 26 lbs	H≤ 28 lbs, V≤ 26 lbs H≤ 26 lbs, V≤ 24 lbs	H≤ 28 lbs, V≤ 26 lbs H≤ 26 lbs, V≤ 24 lbs	H≤ 28 lbs, V≤ 26 lbs H≤ 26 lbs, V≤ 24 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 26 lbs, V≤ 24 lbs H≤ 24 lbs, V≤ 22 lbs	H≤ 18 lbs	H≤ 18 lbs	
Frame	Hybrid Composite +Carbon XT+Ultra High Modulus Graphite+Nano Resin	Carbon XT+Ultra High Modulus Graphite+Nano Resin	High Modulus Graphite+ Nano Resin	High Modulus Graphite+ Nano Resin	High Modulus Graphite+ Nano Resin	Graphite+Resin	Graphite+Resin	Graphite+Resin	Graphite+Resin	Aluminum	Aluminum	
Shaft	Ultra High Modulus Graphite +Nano Resin+7.0 SHAFT	Ultra High Modulus Graphite+Nano Resin+7.2 SHAFT	High Modulus Graphite+Resin+ 7.2 SHAFT	High Modulus Graphite+Nano Resin+7.2 SHAFT	High Modulus Graphite+Nano Resin+7.2 SHAFT	Graphite+Resin+7.2 SHAFT	Graphite+Resin+7.2 SHAFT	Graphite+Resin+7.2 SHAFT	Graphite+Resin+7.2 SHAFT	Graphite+Resin	Graphite+Resin	
Remark	Made In TAIWAN	Made In TAIWAN										
Technology												
OCTABLADE	●	●	●	●	●	●	●	●	●	●	●	
PEAK WAVES	●	●	●	●	●							
NANO TEC	●	●	●	●	●							
CARBON XT	●	●										
HYBRID COMPOSITE	●											
EIGHTY-80	●	●	●	●	●			●	●			

Weight		2013 New Indicator	Grip Size
2U	90-94.9 g	G6	7.9cm
3U	85-89.9 g	G5	8.1cm
4U	80-84.9 g	G4	8.5cm

Response & Balance Indicator only for High-End Products

STRING

Control



NS-880ZTi A/C/F/G/D/J

	HardMediumSoft
FEATURE	NS-880ZTi uses new "ZXION" super strong durable fiber from Japan, interwoven braided with the outer layer high-strength flat fiber," increases strength and extendibility of the strings, provides explosive repulsion with added nano-titanium alloy coating technology, it supports excellent control and an outstanding hitting sound.
LENGTH	10m
DIAMETER	0.68mm
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN ZXION is a trademark of the LCP filament by KB Seiren, Ltd.
COLOR	A C F G D J

NS-880ZTi Reel A/C/F/G

	HardMediumSoft
FEATURE	NS-880ZTi uses new "ZXION" super strong durable fiber from Japan, interwoven braided with the outer layer high-strength flat fiber," increases strength and extendibility of the strings, provides explosive repulsion with added nano-titanium alloy coating technology, it supports excellent control and an outstanding hitting sound.
LENGTH	200m
DIAMETER	0.68mm
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN ZXION is a trademark of the LCP filament by KB Seiren, Ltd."
COLOR	A C F G

VS-850 A/C/F/G

	HardMediumSoft
FEATURE	S-850 NANO has a central core made with high power nylon filament. Wrapping around the core is a high tenacity nylon fiber that is tightly woven with a special connect technique; the outer surface is manufactured using the high-density dipping technique and nano technique. It provides super toughness durability and offensive play. It will satisfy the offensive player's needs.
LENGTH	10m
DIAMETER	0.68mm
REMARK	MADE IN JAPAN
COLOR	A C F G

VS-850 Reel A

	HardMediumSoft
FEATURE	S-850 NANO has a central core made with high power nylon filament. Wrapping around the core is a high tenacity nylon fiber that is tightly woven with a special connect technique; the outer surface is manufactured using the high-density dipping technique and nano technique. It provides super toughness durability and offensive play. It will satisfy the offensive player's needs.
LENGTH	200m
DIAMETER	0.68mm
REMARK	MADE IN JAPAN
COLOR	A

High Resilience



NS-660Ti A/C/F/G/M/Q

	HardMediumSoft
FEATURE	NS-660 Ti uses 0.66mm super fine high strength fiber from Japan and is joined more tightly to the nylon molecules through nano and titanium technology. These technologies give unprecedented repulsion and enhance crispy clear sound.
LENGTH	10m
DIAMETER	0.66mm
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN
COLOR	A C F G M Q

NS-660Ti Reel A/C/F/G

	HardMediumSoft
FEATURE	NS-660 Ti uses 0.66mm super fine high strength fiber from Japan and is joined more tightly to the nylon molecules through nano and titanium technology. These technologies give unprecedented repulsion and enhance crispy clear sound.
LENGTH	200m
DIAMETER	0.66mm
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN
COLOR	A C F G

VS-650 A/C/F/G

	HardMediumSoft
FEATURE	VS-650 has high tenacity multifilament core wrapped with highly resilient multi-braided triplet fiber. The string made by dipping technique combined all materials to high performance. VS-650 provides most repulsion power with a sharp touch.
LENGTH	10m
DIAMETER	0.66mm
REMARK	MADE IN JAPAN
COLOR	A C F G

VS-650 Reel A

	HardMediumSoft
FEATURE	VS-650 has high tenacity multifilament core wrapped with highly resilient multi-braided triplet fiber. The string made by dipping technique combined all materials to high performance. VS-650 provides most repulsion power with a sharp touch.
LENGTH	200m
DIAMETER	0.66mm
REMARK	MADE IN JAPAN
COLOR	A

STRING

Durability



VS-800 A/C/F/G

FEATURE	Hard Medium Soft		
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VS-800 has high tenacity multifilament core wrapped with highly resilient multi-braided triplet fiber. The string made by dipping technique combined all materials to high performance. VS-800 provides supr durability and offensive play. It will satisfy the offensive player's needs.			
LENGTH	10m		
DIAMETER	0.69mm		
REMARK	MADE IN JAPAN		
COLOR	A C F G		
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>



VS-800 Reel A

FEATURE	Hard Medium Soft		
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VS-800 has high tenacity multifilament core wrapped with highly resilient multi-braided triplet fiber. The string made by dipping technique combined all materials to high performance. VS-800 provides supr durability and offensive play. It will satisfy the offensive player's needs.			
LENGTH	200m		
DIAMETER	0.69mm		
REMARK	MADE IN JAPAN		
COLOR	A		
	<input type="checkbox"/>		

VS-760 A/C/F/G

FEATURE	Hard Medium Soft		
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
VS-760 uses 0.7mm high durable three-core fiber. The cross-stack weaving method increases string durability. It also uses a unique abrasion resistant surface technology to increase string control and durability.			
LENGTH	10m		
DIAMETER	0.70mm		
REMARK	MADE IN JAPAN		
COLOR	A C F G		
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>



GRIPS

Replacement Grip



GR112 Replacement Grip

FEATURE	Extra durable design without extra embossing ensures better elasticity.
WIDTH	25mm
THICKNESS	1.5mm
LENGTH	800mm
MATERIAL	Polyurethane
PACKAGING	Single pack
COLOR	C
	<input checked="" type="checkbox"/>

GR113 C/D Replacement Grip

FEATURE	The inner EVA strengthens the anti-vibrating effect and provides great hitting experience.
WIDTH	25mm
THICKNESS	1.6mm
LENGTH	800mm
MATERIAL	Polyurethane
PACKAGING	Single pack
COLOR	C D
	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

GR114 C/D Replacement Grip

FEATURE	This grip provides tacky and great hitting experience.
WIDTH	25mm
THICKNESS	1.7mm
LENGTH	800mm
MATERIAL	Polyurethane
PACKAGING	Single pack
COLOR	C D
	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

GR115 C/D Replacement Grip

FEATURE	The combination of non-woven fabric and nylon provides great moisture absorbency and excellent anti-slip and comfort.
WIDTH	25mm
THICKNESS	1.7mm
LENGTH	800mm
MATERIAL	Polyurethane
PACKAGING	Single pack
COLOR	C D
	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

GRIPS

Moisture Absorbency



GR233-3 C/D/E/F/I/J Over-Grip

FEATURE	Water absorbing bottom layer combines with anti-slip coating providing great absorbency and skid resistance.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	Three pieces of same colour					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR233 C/D/E/F/I/J Over-Grip

FEATURE	Water absorbing bottom layer combines with anti-slip coating providing great absorbency and skid resistance.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR234 C/D/E/F/I/J Over-Grip

FEATURE	The combination of double row perforation and moisture absorbing anti-slip material provides excellent slip resistance and ultra dry feel.The special EVA bottom layer provides superior shock absorption.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane+EVA					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR235 C/D/E/F/I/J Over-Grip

FEATURE	With moisture absorbing bottom layer combining with anti-slip treated resin and single row perforation, GR-235 provides excellent absorbency and slip resistance.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR236 C/D/E/F/I/J Over-Grip

FEATURE	With moisture absorbing bottom layer combining with anti-slip treated resin and vertical V-shaped surface pattern, GR-236 provides excellent absorbency and slip resistance.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J

Durability



GR251 C/D/E/F/I/J Over-Grip

FEATURE	The durable micro-fiber material developed by Japan provides excellent durability and elastic grip , making it suitable for use by competitive players.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane with Micro-fiber					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR252 C/D/E/F/I/J Over-Grip

FEATURE	The durable micro-fiber material developed by Japan and the diamond-shaped anti-slip pattern on the surface provide outstanding durability and slip-resistant.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane with Micro-fiber					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J

Anti-slip



NEW
GR262-3 A/C/D/E/I/J/O Over-Grip

FEATURE	This over grip is made with a combination of moisture absorbing and anti-slip material. It provides extreme comfort while holding the racket.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1050mm					
MATERIAL	Polyurethane					
PACKAGING	Three pieces of same colour					
REMARK	MATERIAL FROM JAPAN					
COLOR	A	C	D	E	I	J



GR255 C/D/E/F/I/J Over-Grip

FEATURE	The ultra-fine moisture absorbent base material developed in Japan and the anti-slip resin treatment on the surface provide a highly slip resistant grip.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



GR256 C/D/E/F/I/J Over-Grip

FEATURE	The ultra-fine anti-slip material developed by Japan on the suce, the V-shaped perforations and shock-absorbent Rubber base material provide excellent perspiration and shock absorption.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane+EVA					
PACKAGING	Single pack					
REMARK	MATERIAL FROM JAPAN / MADE IN TAIWAN					
COLOR	C	D	E	F	I	J



NEW

GR200 A/C/D/E/F Over-Grip

FEATURE	This over grip absorb sweat very well,extremely comfortable,and control skillfully.					
WIDTH	27mm					
THICKNESS	0.6mm					
LENGTH	1100mm					
MATERIAL	Polyurethane					
PACKAGING	60 pieces in one bottle					
COLOR	A	C	D	E	F	

GRIPS

Towel Grip



GR334 C/D/E/F/J Towel Grip (Thin)

FEATURE	The pilable structure absorbs vibration and sweat providing players a feeling of security and comfort while swinging.
WIDTH	30mm
LENGTH	740mm
MATERIAL	100% Cotton
PACKAGING	Single pack
COLOR	C D E F J

GR337 A/C/D/E/F/J/O Towel Grip (Thick)

FEATURE	The pilable structure absorbs vibration and sweat providing players a feeling of security and comfort while swinging.
WIDTH	30mm
LENGTH	660mm
MATERIAL	100% Cotton
PACKAGING	Single pack
COLOR	A C D E F J O

NEW

GR338 A/C/D/E/F/J/O Towel Grip (Thick)

FEATURE	The pilable structure absorbs vibration and sweat providing players a feeling of security and comfort while swinging.
WIDTH	30mm
LENGTH	10000mm
MATERIAL	100% Cotton
PACKAGING	Single Roll
COLOR	A C D E F J O



ACCESSORIES



GR50 F/O/E Cushion Wrap

INSTRUCTIONS	Providing better cushioning when being wrapped on the handle.
SUGGESTED USE	Please wrap it on the handle before wrapping the over grip
MATERIAL	Polyurethane
COLOR	Blue/Orange/Yellow
SIZE	70mm x 2700mm
REMARK	MADE IN USA



AC021 C/D Racket Stencil Ink

COLOR	Black/Red
SIZE	55 ml
REMARK	MADE IN USA



AC018 A Grip Powder

INSTRUCTIONS	Grip Powder provides a secure grip and enhances racket control. A better grip leads to more power and fewer errors. A secure grip can increase performance of aggressive play.
COLOR	White
SIZE	25 g/bottle
INGREDIENT	Magnesium carbonate, Calcium carbonate
REMARK	MADE IN TAIWAN



AC020 Logo Stencil

COLOR	Black
SIZE	186.6mm x 154mm x 0.8mm



AC022 C/D/F/H/Q Racket Protection Bag

COLOR	Black/Red/Royal Blue/Grey/Rose Red
SIZE	72cm x 22 cm
MATERIAL	Polyester